

School shutdown security guidance

During these uncertain times of Covid-19 your school faces closure temporarily. It is therefore essential that the school management teams start to consider and plan suitable arrangements for these changes.

Historically, closedown periods have seen many significant losses in terms of thefts, vandalism and arson attacks, which commonly are crimes of opportunity as opposed to planned events. It is essential that adequate measures be taken to ensure effective security is provided to school and academy premises in order to combat these potential losses.

Control Measures

The following advice is aimed at helping you to provide an appropriate level of security for your school premises during these close-down periods:

- **External lighting:** Ensure external lighting is operating correctly and that any damaged fittings/bulbs are repaired or replaced.
- **Refuse and vehicle storage:** Bins and skips should be located at least 10m from buildings and be secured in position. Ideally bins and skips should have lockable lids.
- **Schools minibuses/coaches**: These should not be parked near the buildings (unless secure and alarmed garage etc.). This is due to the potential fire spread from a vehicle to the building.
- **Contractors:** If work must be undertaken, the permit to work/hot work permit system should be strictly adhered to. Don't forget to notify your Insurer of any hot works being undertaken. Click here for additional guidance.
- Windows, doors and skylights: These must always be adequately locked and secured
- Maintenance Programs: Checks are required to ensure that maintenance programs on services including fire alarms, intruder alarms and sprinkler systems are up to date.
- Intruder & Fire alarms: Ensure these are operating correctly and showing no faults. If the system is linked to a central monitoring station check that this link has not been broken and that the monitoring stations are able to detect activation.
- **Security patrols:** Consider the need for security patrols, which may include random

- visits. This is of particular relevance if the school has suffered unwanted attention, and this aspect should be monitored during these extended periods of closure/partial closure
- Review Key holders: Ensure that key holders are not considered vulnerable and remain capable and available to respond to activations during the close-down. It may be necessary to put alternative arrangements in place, including the employment of a professional key-holding company to assist in this process. Ensure that the monitoring station for the intruder alarm has up-to-date key-holder details.
- Consider isolation of non-essential services: Gas, water and electrical services left connected to empty properties present hazards with regards to fire and water damage. If the premise remains in closedown for an extended period, it should consider isolation of non-essential services. Ensuring that the Intruder Alarm, Fire Alarm and any sprinkler systems remain active and fully effective.
- **Regular Inspections:** We recommend that the premise is inspected at least fortnightly by an authorised representative to ensure that any defects or damage are noted and remedied as a matter of priority.
- Access Control: Access control is vital should your school face partial closure. Consider only opening entry/exits point that can be easily managed by the onsite skeleton staff to prevent unauthorized visitors.

Closedown checklist

Here is a short checklist that we have developed to help school managers secure the school and to use as a reference point for regular checks during temporary closedown periods.

Site checks

Valuable equipment is secured and out of view	Yes	No	Date:
Flammable materials are locked away	Yes	No	Date:
Rubbish is removed from the building and secured away from the building	Yes	No	Date:
All internal doors are kept shut	Yes	No	Date:
Windows are locked shut – any grilles locked shut	Yes	No	Date:
External doors are adequately locked/secured	Yes	No	Date:
Security alarm is working correctly and activated whenever the building is secured (zoned if necessary)	Yes	No	Date:
Security Keyholder response is update and adequately resourced	Yes	No	Date:
External lighting is operational	Yes	No	Date:
CCTV is still operational	Yes	No	Date:
Fire alarm is operational, and any faults reported/rectified	Yes	No	Date:
Windows are intact and any broken windows repaired/boarded up	Yes	No	Date:
Notify your insurer of any planned hot works	Yes	No	Date:
Hot work permit procedures strictly are adhered to	Yes	No	Date:
Do roof tiles/slates/flashing/skylights appear in good condition (visible check from ground)	Yes	No	Date:
Fencing complete and effective and gates locked – look for signs of access	Yes	No	Date:
Regular inspections of the property are completed	Yes	No	Date:
Mail is cleared from the letterbox during property inspections	Yes	No	Date:

For more information visit https://www.zurich.co.uk/municipal/en-gb or https://newsandviews.zurich.co.uk/municipal/en-gb or https://newsandviews.zurich.co.uk/municipal/en-gb or https://newsandviews.zurich.co.uk/

Material displayed on this website is intended to be general information for schools outside local authority control. It is not to be relied on as specific advice or as an alternative to taking legal advice.

Zurich Municipal is a trading name of Zurich Insurance plc, a public limited company incorporated in Ireland Registration No. 13460. Registered Office: Zurich House, Ballsbridge Park, Dublin 4, Ireland UK branch registered in England and Wales Registration No. 887985

UK Branch Head Office: The Zurich Centre, 3000 Parkway, Whiteley, Fareham, Hampshire PO15 7JZ.

